

according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier

Product name RUBIA ST 415

Other means of identification

NumberOWJSubstance/mixtureMixture

Recommended use of the chemical and restrictions on use

Identified uses Engine oil.

Details of the supplier of the safety data sheet

Supplier Total Africa and Middle East

EASTERN ZONE 24, cours Michelet 92800 PUTEAUX

FRANCE

Tel: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 82 88

Please see section 16 to have the contact details of the production plant or hub.

For further information, please contact:

Contact Point Technical/ HSEQ

Emergency telephone

Africa and Middle East (24/7) +44 1235 239671

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

GHS Label elements, including precautionary statements

Signal Word None

Hazard Statements



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

None

Other hazards which do not result in classification

Physical-Chemical Properties Environmental properties

Contaminated surfaces will be extremely slippery Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Does not contain hazardous substances above regulatory disclosure thresholds

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Skin contact Not classified.

Eve contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

svstem.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Carbon dioxide (CO2). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Advice for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up

Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

Other information



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m³ (highly refined)

Appropriate engineering controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Individual protection measures, such as personal protective equipment (PPE)

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection None under normal use conditions. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators. Type A/P1. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the

regulations governing their choices and uses.

Eye Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which

the product is used, such as the danger of cuts, abrasion, and the contact time.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

AppearancelimpidColoramberPhysical State @20°Cliquid

Odor Characteristic

Odor Threshold No information available

Important health safety and environmental information

Property Values Remarks Method Not applicable Melting point/range Not applicable Boiling point/boiling range No information available ASTM D 92 264 °C Flash point 507 °F ASTM D 92. No information available **Evaporation rate** Flammability Limits in Air No information available



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

upperNo information availableLowerNo information availableVapor PressureNo information availableVapor densityNo information available

 Relative density
 0.906
 @ 15 °C
 ASTM D 4052

 Density
 906.4 kg/m³
 @ 15 °C
 ASTM D 4052

Water solubility Insoluble

Solubility in other solvents

No information available logPow

No information available

Autoignition temperatureNo information availableDecomposition temperatureNo information available

 Viscosity, kinematic
 155.9 mm2/s
 @ 40 °C
 ASTM D 445

 15 - 16 mm2/s
 @ 100 °C
 ASTM D 445

Explosive properties Not explosive Oxidizing Properties Not applicable

Possibility of hazardous reactions No information available

Other information

Freezing Point No information available

Pour point -15 °C ASTM D 97

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

<u>Conditions to Avoid</u> Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

Materials to Avoid Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Skin contact Not classified.



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Eye contact Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

Oral Not classified.

9E-08 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Dermal Not classified.

9E-08 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Inhalation Not classified.

9E-08 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

Acute toxicity - Component Information

Does not contain hazardous substances above regulatory disclosure thresholds

Skin corrosion/irritation Not classified.

Serious eye damage/eye irritation Not classified.

Sensitization Not classified as a sensitizer.

Carcinogenicity This product is not classified carcinogenic During use in engines, contamination of oil with

low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Germ Cell Mutagenicity This product is not classified as mutagenic

Reproductive toxicity Not Classified.

STOT-single exposure Not classified

STOT - repeated exposure Not classified

Aspiration Hazard Not classified.



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Issuing date: 2016-05-25 Revision Date: 2016-06-14 Version 1

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

No information available.

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

No information available.

Effects on terrestrial organisms No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information No information available



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

Mobility

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

Other adverse effects

General Information No information available.

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Should not be released into the environment. Dispose of in accordance with local

Products regulations. Where possible recycling is preferred to disposal or incineration. After use, this

oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling

liquids is forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Other information Refer to section 8 for safety and protective measures for disposal personnel.

14. TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Further information

No information available



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

National regulatory information

No information available

16. OTHER INFORMATION

Issuing date: 2016-05-25 **Revision Date:** 2016-06-14

Revision NoteNo information available.

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x =Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

Legend

Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit PEL: Permissible exposure limit REL: Recommended exposure limit TLV: Threshold Limit Values

* Skin designation Ceiling: Ceiling Limit Value

Additional details on the manufacturer of the product

ALGERIA Supplier TOTAL LUBRIFIANTS ALGERIE SPA

Boulevard du 11 décembre 1960, lot. n°65

16000 El Biar, Alger

Algérie

DUBAI Supplier TOTAL MARKETING MIDDLE EAST FZE

Burjuman Business Tower, 11th Floor Sheikh Khalifa Bin Zayed Road

Dubai - PO Box 14871



according to the Global Harmonized System

SDS #: 084126 RUBIA ST 415

EGYPT Supplier TOTAL EGYPT

Corner St. 254 & 206, Degla, Maadi.

Cairo, 11431 Egypt

MOROCCO Supplier TOTAL MAROC

146, Bd. Zerktouni 20000 Casablanca

Maroc

TUNISIA Supplier TOTAL TUNISIE

Rue du Lac Huron

1053 Les Berges du Lac – Tunis

Tunisie

SAUDI ARABIA Supplier SAUDI TOTAL PETROLEUM PRODUCTS CO. LTD (STPP)

P.O. Box 4861, Jeddah 21463 Kingdom of Saudi Arabia

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet